Drinking Water State Revolving Fund Green Project Reserve





Morning View Water Co. Drinking Water Project SRF Loan #DW1302 \$300,000

Interim Green Project Reserve Justification

Categorical GPR Documentation

1. INSTALL 110 WATER METERS WITH AMR SYSTEMS (Water Efficiency). Categorical GPR per 2.2-2a: Installing any type of water meter in previously unmetered areas if rate structures are based on metered use (\$42,300).

Business Case GPR Documentation

- 2. INSTALLS VFD CONTROLLERS FOR NEW WELL PUMP AND TWO EXISTING WELL PUMPS, (Energy Efficiency). Business Case GPR per 3.5-1: *Energy efficient ...new pumping systems...including VFDs* (\$24,500).
- 3. INSTALLS ADVANCED FLUORESCENT LIGHTING (Energy Efficiency). Business Case GPR per 3.5-7: Upgrade of lighting to energy efficient sources such as ...compact fluorescent lighting; (\$600).


1. Existing Water Meter Replacement¹

Summary

- The Mountain View Water Company (MVWC) will purchase 110 remote-read water meters, installing 106 of the meters in existing meter boxes and the remainder in new meter pits.
- Loan amount = \$300,000
- GPR portion of loan (AMR) = 14% (\$42,300)

Background²

 The MVWC is a privately held public water system which services approximately 100 single family residences in an unincorporated area of Jefferson County, Idaho (see figure).



• The population serviced by MVWC is

approximately 225 people via approximately 100 active individual connections. The historical average daily demand (ADD) for the years 2005 through 2007 was 167,000 gallons, with a peak hour demand of 720,000 gallons.

- As an unmetered community, the ADD consumptive values are very high (2.6 to 3.0 times) in comparison with metered communities
- The existing water system includes two wells and 3,400 feet of six inch diameter class 200 PVC water main.

Results

- The MVWC will install 110 Neptune 3/4" T-10 E-coder 900i water meters with Snub antenna for remote read. 106 of the boxes currently use an idler only no meter.
- Installing water meters will increase water efficiency by providing accurate water-use information to customers and the system.

Conclusion

- Metering of water consumption is an important conservation measure because providing water bills based on consumptive use sends a strong price signal to customers resulting in more efficient consumption.
- Implementation of a tiered rate structure, after meter installation, will further aid conservation efforts extending the life of the water supply system and delaying capital expansion projects.
- GPR Costs:

- Purchase meters = \$110 meters @ \$240.00 each = \$26,400

- Install 106 meters @ \$150 each = \$15,900

Total = \$42,300

• **GPR Justification**: The project is Categorically GPR-eligible (Water Efficiency) per Section 2.2-2a: *Installing any type of water meter in previously unmetered areas if rate structures are based on metered use*³.

¹ Ryan Loftus P.E. Project Manager, Aspen Engineering July, 2013

² Final Facility Plan, Aspen Engineering, August 2010

2. Pumping System VFDs

Summary

- The MVWC will purchase and install variable frequency drives (VFDs) for the two existing wells along with a VFD for the new well.
- Estimated loan amount = \$300,000
- Estimated energy efficiency (green) portion of loan = 8% (\$24,500)

Background⁴

- Adequate system pressures are currently not being maintained.
- Analysis shows VFDs should be installed on the two existing wells as well as on the new well.
 The VFD contributes to energy efficiency as it allows the pump to operate at a reduced horse power
 or drive frequency, requiring less energy than a standard drive which operates at a set frequency
 independent of flow requirements.
- Provision of VFDs on the pumps will eliminate the need for air over water pressure tanks and will
 provide a much tighter range for pressure fluctuation. The VFD will save energy by assisting in
 maintaining constant system pressure; it will also reduce electrical consumption at times of pump
 start-up.

GPR Justification

VFD Analysis:

- The VFD specified is ABB Model ACH550-UH-097A-4, (UL Type1), 3ph/60ch/460v, NEMA 1 enclosure⁵.
- Three (3) VFDs cost = \$24,500; estimate pump operation = 8760 hr/yr (normal distribution duty cycle), motor efficiency = 95.8%, and energy costs = \$0.12/kWh;
- Annual cost savings of the VFDs over standard drive = \$76,400⁶ with a payback period of 4 months⁶.

Conclusion

- By installing VFD drives on the well pumps the City can save up to \$76,400/yr. in energy costs
- Payback periods: VFD = 4.0 months.
- **GPR Costs** (3) VFDs = \$24,500
- **GPR Justification**: The VFD systems are Business Case GPR-eligible, qualifying per Sect. 3.5-1 (Energy Efficiency)⁷: "Energy efficient... new pumping systems... (including variable frequency drives (VFDs))" which are cost-effective.



³ 2012 EPA Guidelines for Determining Project GPR-Eligibility. Attachment 2.

⁴ Final Facility Plan, Aspen Engineering, August 2010

⁵ MVWC project specifications, 4-14-14 email W Teucher P.E.

⁶ WEG Electric Corp. VFD Energy Savings Estimator at http://www.weg.net/green/us/save-money.html

⁷ 2012 EPA Guidelines for Determining Project GPR-Eligibility. Attachment 2

3. FLUORESCENT LIGHTING

Summary

- Energy efficiency from the installation of advanced fluorescent lighting in the interior of the well house.
- Total Loan amount = \$300,000
- Estimated Categorical energy efficient (green) portion of loan = >1% (\$600)
- Purchase and install flourescent lighting for new well house = \$600

Energy Efficiency Improvements

- Energy efficient fluorescent lighting is approximately 28 percent more energy efficient than standard magnetic fluorescent lighting for relatively the same light output.
- LED lighting is approximately 58 percent more energy efficient that typical high pressure sodium lighting for relatively the same light output.⁹
- Provide and install Fluorescent Strip Fixture: Lithonia No. C-2-32-MVOLT-GEB-WGCUN NST-HC36



Conclusion

• GPR Costs:

Equipment Name	Cost
Fluorescent Lighting	\$600
Total	\$600

• **GPR Justification**: Advanced fluorescent lighting is GPR-eligible by a Business Case per 3.5-7¹⁰: *Upgrade of POTW lighting to energy efficient sources such as ...compact fluorescent*.

⁸ National Lighting Product Information Program, *Lighting Answers*, Volume 1 Issue 1, April 1993.

⁹ Global Green Energy, *ROI Analysis - 250W high pressure sodium vs. EcoBright 120W LED street light*, accessed via http://www.gg-energy.com/.

¹⁰ Attachment 2. April 21, 2010 EPA Guidance for Determining Project Eligibility. Page 10.